



FUYR BEARING CO.,LTD.



7.874 Inch | 200 Millimeter x 13.386 Inch | 340 Millimeter x 4.409 Inch | 112 Millimeter SKF 23140 CCK/C2W33 Spherical Roller Bearings

Bearing No. 23140 CCK/C2W33

23140 CCK/C2W33 Bearing 2D drawings and 3D CAD models

| | |
|---------------------------|---|
| Category | Spherical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 44.04 |
| EAN | 7316577000729 |
| Product Group | B04311 |
| Internal Clearance | C2-Snug |
| Mounting Method | Adapter Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Tapered |
| Cage Material | Steel |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |
| Withdrawal Sleeve | AH3140 (Specify bore) |
| Withdrawal Nut | HM44T |
| Inch - Metric | Metric |
| Long Description | 200MM Tapered Bore; 340MM Outside Diameter; 112MM Width; C2-Snug Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Nu |



FUYR BEARING CO.,LTD.

| | |
|------------------------------|--|
| Other Features | Order adapter or withdrawal sleeve or nut separately. Others may be available |
| Category | Spherical Roller Bearing |
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Manufacturer URL | http://www.skf.com |
| Weight / LBS | 97.003 |
| B | 4.409 Inch 112 Millimeter |
| Adapter Part Number | SNW3140 H3140 HA3140 (Specify bore) Inch H3140 (Specify bore) Millimeter |
| d | 7.874 Inch 200 Millimeter |
| D | 13.386 Inch 340 Millimeter |
| bore diameter: | 200 mm |
| maximum rpm: | 1900 RPM |
| outside diameter: | 340 mm |
| operating temperature range: | Maximum of +390 ° F |
| overall width: | 112 mm |
| cage material: | Steel |
| bore type: | Tapered 1:12 |
| bearing material: | Steel |
| outer ring type: | Not Split |
| cage type: | Inner Ring Guided |
| internal clearance: | C2 |
| precision rating: | Not Rated |
| closure type: | Open |
| finish/coating: | Uncoated |
| lubrication hole type: | Lubrication Groove & Hole |
| outer ring width: | 112 mm |
| | |



FUYR BEARING CO.,LTD.

| | |
|------------------------|---------|
| dynamic load capacity: | 1600 kN |
| fillet radius: | 2.5 mm |
| static load capacity: | 2360 kN |
| series: | 231 |