



# FUYR BEARING CO.,LTD.



23160 CACK/C4W33 Bearing 2D drawings and 3D CAD models

11.811 Inch | 300 Millimeter x 19.685 Inch | 500 Millimeter x 6.299 Inch | 160 Millimeter SKF 23160 CACK/C4W33 Spherical Roller Bearings

Bearing No. 23160 CACK/C4W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	138.52
EAN	7316571255668
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3160 AOH3160 (Specify bore)
Withdrawal Nut	HM66T
Inch - Metric	Metric
Long Description	300MM Tapered Bore; 500MM Outside Diameter; 160MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure;



## FUYR BEARING CO.,LTD.

	Relubricatable; Adapter
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	305.119
D	19.685 Inch   500 Millimeter
d	11.811 Inch   300 Millimeter
Adapter Part Number	SNP3160 (Specify bore) Inch   H3160 (Specify bore) Millimeter
B	6.299 Inch   160 Millimeter
bore diameter:	300 mm
maximum rpm:	1200 RPM
outside diameter:	500 mm
operating temperature range:	Maximum of +390 ° F
overall width:	160 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



## FUYR BEARING CO.,LTD.

outer ring width:	160 mm
dynamic load capacity:	3200 kN
fillet radius:	4 mm
static load capacity:	5100 kN
series:	231