



FUYR BEARING CO.,LTD.



6303lua Bearing 2D drawings and 3D CAD models

NTN 6303lua Bearing

Bearing No. 6303lua

Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0
EAN	4547359383270
Product Group	B00308
Enclosure	1 Seal
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	17MM Bore; 47MM Outside Diameter; 14MM Outer Race Width; 1 Seal; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage; C
Other Features	Deep Groove Polyacrylic Rubber Friction Seal -15 To 150 Deg C



FUYR BEARING CO.,LTD.

Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6303LUA
Weight / LBS	0.231
d	0.669 Inch 17 Millimeter
D	1.85 Inch 47 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
bore diameter:	17 mm
static load capacity:	6550 N
outside diameter:	47 mm
precision rating:	ISO Class 0
overall width:	14 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome Steel
closure type:	Single Seal
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	14 mm
snap ring included:	Without Snap Ring
outer ring width:	14 mm
internal clearance:	CN
maximum rpm (grease):	11000 rpm
operating temperature range:	-40 to 120 ° C
fillet radius:	1 mm
dynamic load capacity:	13500 N



FUYR BEARING CO.,LTD.

manufacturer product page:

[Click here](#)